

# PERFORACIONES REDONDAS



# CHAPA PERFORADA AGUJEROS REDONDOS

ROUND HOLES PERFORATED SHEETS | TÔLES PERFORÉES TROUS ROUNDS

## AGUJERO

HOLE | TROU



DIÁMETRO  
DEL AGUJERO

HOLE DIAMETER  
DIAMÈTRE DU TROU



DISTANCIA  
ENTRE CENTROS

PITCH  
ENTRAXE



COEFICIENTE  
DE PERFORACIÓN

OPEN AREA  
% DE VIDE



AGUJEROS  
ABOCARDADOS

EMBOSSSED HOLES  
TROUS EMBOUTIS

## CARACTERÍSTICAS

CHARACTERISTICS | CARACTÉRISTIQUES



MATERIALES  
RAW MATERIAL  
MATIÈRE



FORMATO  
DIMENSIONS  
FORMAT



ESPEJOR (mm)  
THICKNESS (mm)  
ÉPAISSEUR (mm)

## MATERIALES

RAW MATERIAL | MATIÈRE




HIERRO  
MILD STEEL  
ACIER DOUX



GALVANIZADO  
PRE-GALVANIZED  
GALVANISÉ



INOXIDABLE  
STAINLESS STEEL  
INOXYDABLE



# AGUJEROS REDONDOS

ROUND HOLES | TROUS RONDS

## 2000x1000mm

		Fe										G				I A304L					I A316L			Lightbulb	Pg.					
R	T	0,5	0,8	1	1,5	2	2,5	3	4	5	6	8	10	0,8	1	1,5	2	0,5	0,8	1	1,5	2	3			4	1	1,5	2	
0,5	1,5	●																●											10	-
0,8	2	●	●															●	●										14	36
1	2	●	●	●															●										14	36
1	2,2																●		●										19	-
1,2	2,5			●																●									21	-
1,5	3	●		●	●															●	●								23	-
2	3			●		●																							40	-
2	3,5	●	●	●	●										●					●	●						●		30	-
2	4					●																	●				●		23	-
2,5	3,5				●	●	●																						46	37
2,5	4			●	●															●	●						●		35	37
2,5	5					●	●																●						23	38
3	4			●	●	●	●	●																					51	38
3	5	●	●	●	●	●		●						●	●	●	●			●	●	●			●	●	●		33	39
3	6							●															●	●					23	39
3,5	4,5					●	●	●																					55	-
3,5	5		●		●	●		●																					44	-
4	5,5					●	●	●																					48	40
4	6		●	●	●	●		●							●	●				●	●				●	●			40	40
4	7					●		●	●														●	●					30	41
4,5	6							●																					51	-
5	6,5					●		●																					54	41
5	7	●	●	●	●			●							●	●				●	●				●	●			46	42
5	8			●	●	●		●	●	●					●	●	●					●	●	●		●	●		35	43
6	7,5					●		●																					58	42
6	8,5		●	●	●											●				●	●				●	●			45	43
6	9			●	●																								40	44
6	10					●		●	●	●	●					●						●	●	●		●			33	44
7	10			●	●			●																					44	-


\*En Stock. Posibilidad de fabricación a medida bajo pedido.

\*In stock. Special dimensions upon request.

\*En stock. Autres dimensions sur demande.




# R 0,8 T 2



ESCALA | SCALE | ÉCHELLE 1:1

**R** 0,8 mm

**T** 2 mm

 14 %



**Fe**

2000x1000

0,5 - 0,8


**I**

A304L

2000x1000

0,5 - 0,8


# R 1 T 2



ESCALA | SCALE | ÉCHELLE 1:1

**R** 1 mm

**T** 2 mm

 23 %



**Fe**

2000x1000

0,5 - 0,8 - 1


**I**

A304L

2000x1000

0,5 - 0,8

R  
2,5  
T  
3,5



ESCALA | SCALE | ÉCHELLE 1:1

R 2,5 mm

T 3,5 mm

46 %



Fe




2000x1000



1,5 - 2 - 2,5

R  
2,5  
T  
4



ESCALA | SCALE | ÉCHELLE 1:1

R 2,5 mm

T 4 mm

35 %



Fe

2000x1000



1 - 1,5



A304L

2000x1000

1 - 1,5




A316L

2000x1000

1,5


R  
2,5  
T  
5



ESCALA | SCALE | ÉCHELLE 1:1

**R** 2,5 mm

**T** 5 mm

 23 %



**Fe**

2000x1000

2 - 2,5


**I**

A304L

2000x1000

2


R  
3  
T  
4



ESCALA | SCALE | ÉCHELLE 1:1

**R** 3 mm

**T** 4 mm

 51 %




**Fe**

2000x1000

1 - 1,5 - 2 - 2,5 - 3


# R 3 T 5



ESCALA | SCALE | ÉCHELLE 1:1

**R** 3 mm

**T** 5 mm

 33 %




<b>Fe</b>	2000x1000	0,5 - 0,8 - 1 - 1,5 - 2 - 3
-----------	-----------	-----------------------------

<b>G</b>	2000x1000	0,8 - 1 - 1,5 - 2
----------	-----------	-------------------

<b>I</b> A304L	2000x1000	1 - 1,5 - 2
----------------	-----------	-------------

<b>I</b> A316L	2000x1000	1 - 1,5 - 2
----------------	-----------	-------------


# R 3 T 6



ESCALA | SCALE | ÉCHELLE 1:1

**R** 3 mm

**T** 6 mm


 23 %






<b>Fe</b>	2000x1000	3
-----------	-----------	---

<b>I</b> A304L	2000x1000	2 - 3
----------------	-----------	-------

R  
4  
T  
5,5



ESCALA | SCALE | ÉCHELLE 1:1

-  4 mm
-  5,5 mm
-  48 %



Fe




2000x1000






2 - 2,5 - 3

R  
4  
T  
6



ESCALA | SCALE | ÉCHELLE 1:1

-  4 mm
-  6 mm
-  40 %



Fe

2000x1000



0,8 - 1 - 1,5 - 2 - 3

G

2000x1000

1 - 1,5

I

A304L

2000x1000

1 - 1,5


I

A316L


2000x1000




1 - 1,5

R  
4  
T  
7




ESCALA | SCALE | ÉCHELLE 1:1


R	4 mm
T	7 mm
	30 %




		
<b>Fe</b>	2000x1000	2 - 3 - 4
<b>I</b> A304L	2000x1000	1 - 1,5
	3000x1500	2

R  
5  
T  
6,5




ESCALA | SCALE | ÉCHELLE 1:1


R	5 mm
T	6,5 mm
	54 %

		
<b>Fe</b>	2000x1000	2 - 3

# R 5 T 7




ESCALA | SCALE | ÉCHELLE 1:1

- R 5 mm
- T 7 mm
-  46 %




<span style="background-color: black; color: white; padding: 2px;">F</span>	2000x1000	0,5 - 0,8 - 1 - 1,5 - 3
<span style="background-color: black; color: white; padding: 2px;">G</span>	2000x1000	1 - 1,5
<span style="background-color: black; color: white; padding: 2px;">I</span> A304L	2000x1000	1 - 1,5
<span style="background-color: black; color: white; padding: 2px;">I</span> A316L	2000x1000	1 - 1,5

# R 6 T 7,5




ESCALA | SCALE | ÉCHELLE 1:1

- R 6 mm
- T 7,5 mm
-  58 %



<span style="background-color: black; color: white; padding: 2px;">Fe</span>	2000x1000	2 - 3
--	-----------	-------


# R 5 T 8



ESCALA | SCALE | ÉCHELLE 1:1

**R** 5 mm


**T** 8 mm

 35 %



<b>Fe</b>	2000x1000	1 - 1,5 - 2 - 3 - 4 - 5
<b>G</b>	2000x1000	1 - 1,5 - 2
<b>I</b> A304L	2000x1000	2 - 3 - 4
<b>I</b> A316L	2000x1000	1,5 - 2


# R 6 T 8,5



ESCALA | SCALE | ÉCHELLE 1:1

**R** 6 mm


**T** 8,5 mm

 45 %




<b>Fe</b>	2000x1000	1 - 1,5 - 2 - 3 - 4 - 5
<b>G</b>	2000x1000	1,5
<b>I</b> A304L	2000x1000	1 - 1,5
<b>I</b> A316L	2000x1000	1 - 1,5

# R 6 T 9



ESCALA | SCALE | ÉCHELLE 1:1

- R 6 mm
- T 9 mm
-  40 %



**Fe**




2000x1000




1 - 1,5

# R 6 T 10



ESCALA | SCALE | ÉCHELLE 1:1

- R 6 mm
- T 10 mm
-  33 %



**Fe**

2000x1000



2 - 3 - 4 - 5 - 6

**G**

2000x1000

2

**I**

A304L

2000x1000

2 - 3 - 4


**I**

A316L


2000x1000

2

# R 8 T 11




ESCALA | SCALE | ÉCHELLE 1:1

- R 8 mm
- T 11 mm
-  48 %




<span style="background-color: black; color: white; padding: 2px;">Fe</span>	2000x1000	0,8 - 1 - 1,5 - 3
<span style="background-color: black; color: white; padding: 2px;">G</span>	2000x1000	0,8 - 1 - 1,5
<span style="background-color: black; color: white; padding: 2px;">I</span> A304L	2000x1000	1 - 1,5
<span style="background-color: black; color: white; padding: 2px;">I</span> A316L	2000x1000	1 - 1,5

# R 8 T 12




ESCALA | SCALE | ÉCHELLE 1:1

- R 8 mm
- T 12 mm
-  40 %




<span style="background-color: black; color: white; padding: 2px;">Fe</span>	2000x1000	1,5 - 2 - 3 - 4 - 5 - 6
<span style="background-color: black; color: white; padding: 2px;">G</span>	2000x1000	1,5 - 2
<span style="background-color: black; color: white; padding: 2px;">I</span> A304L	2000x1000	1 - 2 - 3 - 4
<span style="background-color: black; color: white; padding: 2px;">I</span> A316L	2000x1000	1,5 - 2

R  
8  
T  
15



ESCALA | SCALE | ÉCHELLE 1:1

- R 8 mm
- T 15 mm
-  26 %



Fe




2000x1000




8

R  
10  
T  
14



ESCALA | SCALE | ÉCHELLE 1:1

- R 10 mm
- T 14 mm
-  46 %



Fe

2000x1000



0,8 - 1 - 1,5 - 2



G

2000x1000

1 - 1,5 - 2



I A304L

2000x1000

1 - 1,5




I A316L

2000x1000

1,5


R  
10  
T  
15



ESCALA | SCALE | ÉCHELLE 1:1

R 10 mm


T 15 mm

 40 %



<b>Fe</b>	2000x1000	1,5 - 2 - 3 - 4 - 5 - 6
<b>G</b>	2000x1000	1,5 - 2
<b>I</b> A304L	2000x1000	2 - 3
<b>I</b> A316L	2000x1000	1,5 - 2


R  
10  
T  
18



ESCALA | SCALE | ÉCHELLE 1:1

R 10 mm


T 18 mm

 28 %



<b>Fe</b>	2000x1000	8 - 10
-----------	-----------	--------


R  
12  
T  
16



ESCALA | SCALE | ÉCHELLE 1:1

R 12 mm

T 16 mm

 51 %



Fe



2000x1000



1 - 1,5




A304L

2000x1000

1 - 1,5


R  
12  
T  
17



ESCALA | SCALE | ÉCHELLE 1:1

R 12 mm

T 17 mm

 45 %



Fe



2000x1000



2 - 3 - 4 - 5 - 6




A304L


2000x1000

2

R  
12  
T  
20



ESCALA | SCALE | ÉCHELLE 1:1

- R 12 mm
- T 20 mm
-  33 %



Fe




2000x1000




8 - 10

R  
15  
T  
18



ESCALA | SCALE | ÉCHELLE 1:1

- R 15 mm
- T 18 mm
-  63 %



Fe

2000x1000



1 - 1,5

G

2000x1000

1,5


I

A304L

2000x1000

1,5


R  
15  
T  
22



ESCALA | SCALE | ÉCHELLE 1:1

**R** 15 mm

**T** 22 mm

 51 %



**Fe**

2000x1000

2 - 3 - 4 - 5 - 6

**G**

2000x1000

2


**I**

A304L

2000x1000

2 - 3


R  
15  
T  
24



ESCALA | SCALE | ÉCHELLE 1:1

**R** 15 mm

**T** 24 mm

 35 %




**Fe**

2000x1000

10

R  
20  
T  
25



ESCALA | SCALE | ÉCHELLE 1:1

R 20 mm

T 25 mm

58 %



Fe




2000x1000



8 - 10

R  
20  
T  
27



ESCALA | SCALE | ÉCHELLE 1:1

R 20 mm

T 27 mm

50 %



Fe

2000x1000



2 - 3 - 4 - 5 - 6




A304L

2000x1000

2


R  
20  
T  
30



ESCALA | SCALE | ÉCHELLE 1:1

R 20 mm

T 30 mm

 40 %



Fe




2000x1000



8 - 10


R  
30  
T  
37



ESCALA | SCALE | ÉCHELLE 1:1

R 30 mm

T 37 mm

 60 %



Fe




2000x1000



2 - 3 - 4 - 5 - 6


R  
30  
T  
40



ESCALA | SCALE | ÉCHELLE 1:1

R 30 mm

T 40 mm

 51 %



Fe



2000x1000



10



# CONTACTO

CONTACT | NOUS CONTACTER

---



## **MALLAS. CHAPAS Y COMPLEMENTOS**

Avenida Xuvería, 22  
33211 GIJÓN (Principado de Asturias)

T/ +34 985 308 991  
F/ +34 985 308 992  
M/ +34 674 124 658  
E/ [comercial@mchc.es](mailto:comercial@mchc.es)

